

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. Contract ID Code Firm-Fixed-Price		Page 1 Of 10	
2. Amendment/Modification No. P00002		3. Effective Date 2002AUG28		4. Requisition/Purchase Req No. SEE SCHEDULE		5. Project No. (If applicable)	
6. Issued By TACOM-ROCK ISLAND AMSTA-LC-CSC-A TERESA STOTTLEMYRE (309)782-4626 ROCK ISLAND IL 61299-7630 EMAIL: STOTTLEMYRET@RIA.ARMY.MIL		Code W52H09		7. Administered By (If other than Item 6) DCMA HARTFORD 130 DARLIN ST EAST HARTFORD CT 06108-3234 SCD A PAS NONE ADP PT HQ0337		Code S0701A	
8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code) COLTS MANUFACTURING COMPANY INC PO BOX 1868 HARTFORD CT 06144-1868 TYPE BUSINESS: Other Small Business Performing in U.S.				<input type="checkbox"/>		9A. Amendment Of Solicitation No.	
				<input type="checkbox"/>		9B. Dated (See Item 11)	
				<input checked="" type="checkbox"/>		10A. Modification Of Contract/Order No. DAAE20-02-C-0115	
				<input type="checkbox"/>		10B. Dated (See Item 13) 2002JUL30	
Code 13629		Facility Code					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning _____ copies of the amendments: (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. Accounting And Appropriation Data (If required) NO CHANGE TO OBLIGATION DATA							
13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS							
KIND MOD CODE: C It Modifies The Contract/Order No. As Described In Item 14.							
<input type="checkbox"/> A. This Change Order is Issued Pursuant To: The Changes Set Forth In Item 14 Are Made In The Contract/Order No. In Item 10A.							
<input type="checkbox"/> B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).							
<input checked="" type="checkbox"/> C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of: FAR 43.103(a)							
<input type="checkbox"/> D. Other (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return _____ copies to the Issuing Office.							
14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) SEE SECOND PAGE FOR DESCRIPTION							

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)		16A. Name And Title Of Contracting Officer (Type or print) JERRY L YOWELL YOWELLJ@RIA.ARMY.MIL (309)782-6736	
15B. Contractor/Offendor _____ (Signature of person authorized to sign)	15C. Date Signed	16B. United States Of America By _____ /SIGNED/ (Signature of Contracting Officer)	16C. Date Signed 2002AUG28

NSN 7540-01-152-8070

PREVIOUS EDITIONS UNUSABLE

30-105-02

STANDARD FORM 30 (REV. 10-83)

Prescribed by GSA FAR (48 CFR) 53.243

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-C-0115 MOD/AMD P00002	Page 2 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

SECTION A - SUPPLEMENTAL INFORMATION

1. The purpose of this modification is to update the following clauses to include the M4A1 Carbine:
- "Drawings/Specification", TACOM-RI, 52.210-4501 (CS6100)
"Government Furnished Ammunition", FAR 52.245-4538 (ES6045)
"Safeguarding Sensitive Conventional Arms, Ammunition, and Explosives", DFARS 252.223-7007 (IA6716)
2. Clause entitled "Packaging Requirements (Commercial)" TACOM-RI, 52.211.4503 is incorporated and applies to the M4A1 Carbine.
3. Attachment 004 to the award document entitled "Accountability Instructions" should have the following added to the top of the page: M4A1 Carbine, 1005-01-382-0953.
4. Exhibit A to the award document entitled "Contract Data Requirements List" should have the following added to the System/Item: M4A1 Carbine.
3. All other terms and conditions remain the same.

*** END OF NARRATIVE A 003 ***

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-C-0115 MOD/AMD P00002	Page 3 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

For Local Clauses See: <https://aais.ria.army.mil>

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
C-1 CHANGED	52.210-4501 TACOM-RI	DRAWINGS/SPECIFICATION	MAR/1988

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

APPLICABLE TO M4 CARBINE
Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 9390000 with revisions in effect as of 24 January 2002 (except as follows):

DRAWING	DELETE	REPLACE WITH
SPI 9390000	MIL-P-116	MIL-STD-2073
SPI 9390000	MIL-C-372	MIL-PRF-372
SPI 9390000	P-D-680	MIL-PRF-680
SPI 9390000	P-9	MIL-PRF-32033
SPI 9390000	MIL-B-22019	MIL-PRF-22019
SPI 9390000	MIL-STD-1186	NONE
SPI 9390000	PPP-B-601	ASTM D6251
SPI 9390000	PPP-B-1660	NONE
SPI 9390000	MIL-B-117	MIL-DTL-117
SPI 9390000	MIL-P-3420	MIL-PRF-3420
SPI 9390000	L-C-378	A-A-3174
DOCUMENT	DELETE	REPLACE WITH
QAP 8436765	MIL-STD-105	MIL-STD-1916
	MIL-STD-105 AQLS	MIL-STD-1916 VL IV FOR MAJOR & MIL-STD-1916 VL II FOR MINOR CHARACTERISTICS
QAP 8436766	"	"
QAP 8448502	"	"
QAP 8448503	"	"
QAP 8448504	"	"
QAP 8448512	"	"
QAP 8448507	"	"
QAP 8448508	"	"
QAP 8448512	"	"
QAP 8448513	"	"
QAP 8448515	"	"
QAP 8448517	"	"
QAP 8448519	"	"
QAP 8448521	"	"
QAP 8448525	"	"
QAP 8448533	"	"
QAP 8448542	"	"
QAP 8448543	"	"
QAP 8448544	"	"
QAP 8448553	"	"
QAP 8448555	"	"
QAP 8448571	"	"
QAP 8448573	"	"
QAP 8448575	"	"
QAP 8448582	"	"

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 4 of 10
	PIIN/SIIN DAAE20-02-C-0115	MOD/AMD P00002	

Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC

QAP 8448585	"	"
QAP 8448587	"	"
QAP 8448593	"	"
QAP 8448595	"	"
QAP 8448599	"	"
QAP 8448609	"	"
QAP 8448628	"	"
QAP 8448631	"	"
QAP 8448634	"	"
QAP 8448636	"	"
QAP 8448638	"	"
QAP 8448670	"	"
QAP 8448712	"	"
QAP 9349056	"	"
QAP 9349065	"	"
QAP 9349070	"	"
QAP 9349075	"	"
QAP 9349076	"	"
QAP 9349077	"	"
QAP 9349084	"	"
QAP 9349085	"	"
QAP 9349086	"	"
QAP 9349107	"	"
QAP 9349109	"	"
QAP 9349110	"	"
QAP 9349113	"	"
QAP 9349114	"	"
QAP 9349116	"	"
QAP 9349127	"	"
QAP 9381367	"	"
QAP 9390002	"	"
QAP 9390008	"	"
QAP 9390011	"	"
QAP 9390015	"	"
QAP 9390016	"	"
QAP 9390021	"	"
QAP 9390023	"	"
QAP 9390024	"	"
QAP 9390032	"	"
QAP 9390736	"	"
QAP 12589987	"	"

QAP 8448521	ADD DISTRIBUTION STATEMENT F
QAP 9381367	"
QAP 9390002	"
QAP 9390008	"
QAP 9390011	"
QAP 9390021	"
QAP 9390023	"
QAP 9390024	"
QAP 9390032	"
QAP 12589987	"

APPLICABLE TO M4A1 CARBINE

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 12972700 with revisions in effect as of 9 July 2002 (except as follows):

DOCUMENT	DELETE	REPLACE WITH
SPI 12972700	MIL-C-372	MIL-PRF-372
	P-D-680	MIL-PRF-680
	VV-L-800	MIL-PRF-32033

12972700 - "MIL-STD-109" REPLACE WITH "ISO 8402"

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 5 of 10
	PIIN/SIIN DAAE20-02-C-0115	MOD/AMD P00002	
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC			

8448511 - "QQ-P-35" REPLACE WITH SAE-AMS-QQ-P-35"

12972654 - "DOW CORNING CORP REPLACE WITH "DOW CORNING CORP
594 PEPPER ST. 2200 W. SALZBURG
MONROE, CT 06468 AUBURN, MI 48611
800-248-2481
989-496-4000

9349123 - NOTE 3D - "PREMIX INC. REPLACE WITH - NAME AND TEL. ONLY
QUANTUM COMPOSITES INC. DIV. "CYTEC FIBERITE INC.
1310 SOUTH VALLEY DRIVE TEL 507-454-3611"
BAY CITY, MI 48706-9798"

ADD "DISTRIBUTION STATEMENT F" FOR THE FOLLOWING INSPECTION DRAWINGS (GAGES).

11838230
8443734
8443626
9348990
9348991
9348992
9348993
8443871
8443872
8443873
8443874
8443875
8443876
8443877
8443878
9348990
9348991
9348899
8443896
8443993
8443909
8443631
11837940
8443631
8443995
8443995
8443907
8443757
8443772
8443860
8443710
8443765
8443709
8443581
8443905
8443842
8443942
8443604
8443855
8443657
8443533
8443778
8443820
8443712
8443888
8443953
8443951
8443912
8443885

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 6 of 10
	PIIN/SIIN DAAE20-02-C-0115	MOD/AMD P00002	
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC			

8443884
8443769
8443978
8443886
8443811
8443886
8443847
8443731
8443878
8443899
8443926
8443639
8443913
8443914
11837906
11838440
8443887
8443858
8443955
8443829
8443961
8443680
8443723
8443729
11838453
11836573
11838455
11838454
9348967
9348968
9348969
9348914
8443833
844833
9348848
9348839
8443693
9348960
9348961
9348962
9348830
9348832
8443987
12564735
8440746
12564725
8440747
8443685

ALL OTHER "GAGES DISTRIBUTION STATEMENT A" APPLIES.

(CS6100)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-C-0115 MOD/AMD P00002	Page 7 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

SECTION D - PACKAGING AND MARKING

For Local Clauses See: <https://aais.ria.army.mil>

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
D-1 CHANGED TACOM-RI APPLICABLE TO M4A1 CARBINE	52.211-4503	PACKAGING REQUIREMENTS (COMMERCIAL)	FEB/2000

a. The preservation, packing, and marking requirements shall be accomplished in accordance with the performance requirements defined herein.

b. The following Packaging requirements shall apply:

Preservation: COMMERCIAL
 Level of Packing: COMMERCIAL
 Quantity Per Unit Package: 1
 Quantity of Unit Packages Per Intermediate Container: See Paragraph 3

(1) Packaging - Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements:

(i) Cleanliness - Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

(ii) Preservation - Items susceptible to corrosion of deterioration shall be provided protection such as preservative coatings, volatile corrosion inhibitors, or desiccated unit packs.

(iii) Cushioning - Items requiring protection from physical and mechanical damage (e.g., fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

(2) Unit package:

(i) Unit Package - A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton, or box.

(ii) Unit Package Quantity - Unless otherwise specified, the unit package quantity shall be one each part, set assembly, kit, etc.

(3) Intermediate Package:

(i) Intermediate packaging is required whenever the quantity is over one (1) gross of the same national stock number and when such use enhances handling and inventorying, or whenever the exterior surfaces of the unit pack is a bag of any type, regardless of the size, or whenever the unit pack is less than 64 cubic inches, or when the weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches. Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(4) Packing:

(i) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

(ii) Shipping Containers - The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

c. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 8 of 10
	PIIN/SIIN DAAE20-02-C-0115	MOD/AMD P00002	

Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC

be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall not exceed 4,000 pounds and should not exceed 52 inches in length or width, or 54 inches in height. The load shall be contained in a manner that will permit safe handling during shipment and storage.

d. Marking: All unit packages, intermediate packs, exterior shipping containers, and as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision N, Date 15 May 1997, including bar coding, see AIM-BC1, Uniform Symbology Specification (USS)-39, Document Number X5-2. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.

e. Hazardous Materials: In addition to the general instructions listed above, hazardous materials or items as defined in CFR Title 49 are also subject to all applicable Department of Transportation regulations for packaging/packing, marking, labeling, container certification, and transport as listed in Code of Federal Regulations Title 49, Parts 100-180. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

f. Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

g. SUPPLEMENTAL INSTRUCTIONS: The unit container shall be weather-restraint fiberboard in accordance with ASTM-D-5118, Class W. The SPI may be used as a reference.

(End of clause)

(DS6413)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-C-0115 MOD/AMD P00002	Page 9 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

SECTION E - INSPECTION AND ACCEPTANCE

For Local Clauses See: <https://aais.ria.army.mil>

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
E-1 CHANGED	52.245-4538 TACOM-RI	GOVERNMENT FURNISHED AMMUNITION	OCT/2000
a. Ammunition has been programmed to support contractual test requirements as follows:			
1,029,930 rounds, M855 cartridge, NSN: 1305-01-457-4589, Department of Defense Identification Code: AA33			
431,736 rounds, M855 "Certified", NSN: 1305-01-457-4589, Department of Defense Identification Code: AA33			
b. Requests for all ammunition shall be submitted electronically to the contract specialist on DD Form 1348 no later than 45 days prior to desired delivery dates. The completed request may be submitted via one of the following methods to: AMSTA-LC-CSC-A/Teresa Stottlemeyre; electronic mail stottlemeyret@ria.army.mil , or data fax (309) 782-3813, with a copy furnished via one of the following methods to: electronic mail mosleya@tacom.army.mil , or data fax (810)574-7757.			
c. No later than 30 days after completion of the contract, the contractor shall report to the Contracting Officer on the remaining ammunition. The contractor shall indicate the quantity, type and National Stock Number of unused ammunition remaining at the manufacturing/test facility and request disposition instructions.			
d. The contractor shall furnish a copy of the above ammunition and disposition requests to the cognizant Defense Contract Management Agency (DCMA) Quality Assurance Representative (QAR).			
(End of clause)			
(ES6045)			

SECTION I - CONTRACT CLAUSES

For Local Clauses See: <https://aais.ria.army.mil>

Status	Regulatory Cite	Title	Date
I-1 CHANGED	252.223-7007 DFARS	SAFEGUARDING SENSITIVE CONVENTIONAL ARMS, AMMUNITION, AND EXPLOSIVES	SEP/1999

- (a) Definition.
- ''Arms, ammunition, and explosives (AA&E),'' as used in this clause, means those items within the scope (chapter 1, paragraph B) of DoD 5100.76-M, Physical Security of Sensitive Conventional Arms, Ammunition, and Explosives.
- (b) The requirements of DoD 5100.76-M apply to the following items of AA&E being developed, produced, manufactured, or purchased for the Government, or provided to the Contractor as Government-furnished property under this contract:

NOMENCLATURE	NATIONAL STOCK NUMBER	SENSITIVITY/CATEGORY
M4 Carbine	1005-01-231-0973	CAT II
M4A1 Carbine	1005-01-382-0953	CAT II
M855 Ball Ammo	1305-01-457-4589	CAT IV

- (c) The Contractor shall comply with the requirements of DoD 5100.76-M, as specified in the statement of work. The edition of DoD 5100-76-M in effect on the date of issuance of the solicitation for this contract shall apply.
- (d) The Contractor shall allow representatives of the Defense Security Service (DSS), and representatives of other appropriate offices of the Government, access at all reasonable times into its facilities and those of its subcontractors, for the purpose of performing surveys, inspections, and investigations necessary to review compliance with the physical security standards applicable to this contract.
- (e) The Contractor shall notify the cognizant DSS field office of any subcontract involving AA&E within 10 days after award of the subcontract.
- (f) The Contractor shall ensure that the requirements of this clause are included in all subcontracts, at every tier--
- (1) For the development, production, manufacture, or purchase of AA&E; or
- (2) When AA&E will be provided to the subcontractor as Government-furnished property.
- (g) Nothing in this clause shall relieve the Contractor of its responsibility for complying with applicable Federal, state, and local laws, ordinances, codes, and regulations (including requirements for obtaining licenses and permits) in connection with the performance of this contract.

(End of Clause)

(IA6716)